Gerard Roofing Systems

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Requirements 3
- Wind Performance 5
- Gerard Pressed Metal Tiles 6
- Gerard Trim 11
- Ancillary Components & Accessories 12
- Co-operation 14
- Workmanship 14
- Delivery & Handling 15
- Preparation 16
- Installation 16
- Completion 23

Compliances 23

SWARTSPEC

1 Specification Details

Trade Sections: Roofing
Description:
Keywords: Roofing, Ross Roof Group, Metrotile Roofing Systems, pressed metal, pressed metal tiles, pressed metal roof tiles, pressed metal tiles, metal roof tiles, metal roofing tiles, metal tile, metal tiles, roof tiles, roof tile, tile, tiles, roof, roofs, roof cladding, cladding, roofing tiles, steel tile, steel tiles, steel roof tiles, steel roofing tiles, pressed steel, pressed steel tiles, pressed steel roof tiles, pressed steel roofing tiles, shake, shakes, roof shakes, roofing shakes, metal shakes, metal shakes, pressed metal shakes, steel shakes, pressed steel shakes, prepainted roofing, pre-painted roofing, prepainted roof cladding, pre-painted roof cladding, prefinished roofing, pre-finished roofing, prefinished roof cladding, pre-finished roof cladding, precoated roofing, pre-coated roofing, precoated roof cladding, pre-coated roof cladding, prepainted steel, pre-painted steel, prefinished steel pre-finished steel, precoated steel, pre-coated steel, coated steel, prepainted metal, pre-painted metal, prefinished metal, pre-finished metal, precoated metal, pre-coated metal, coated metal, natural stone chips, stone chips, stone chip texture, textured roof tile, textured metal roof tile, Antica, Bond, CF Shingle, Classic, Roman, Royal, Shake, Metrotile LV75C Roof Space Vent, Metrotile HV110 Sanitary Vent, Metrotile HV160 Extraction Vent.

2 Clauses

2.1 Scope

Help Note:
Gerard Roofing Systems are designed for use on buildings designed for Snow Loadings up to 1.0 kPa.

For technical advice and specification guidance email Gerard Roofs Ltd at customerservice@gerardroofs.co.nz or call 0800 100 244.

For technical information on products to attach to this project, please visit https://www.gerardroofs.co.nz/

2.1.1 Scope

Supply and install Gerard Roofing Systems from RoofTG Pacific Ltd as specified herein, to the locations indicated on the design drawings, complete with all necessary components and accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the relevant RoofTG Pacific Ltd technical literature (check www.gerardroofs.co.nz, email customerservice@gerardroofs.co.nz, or call 0800 100 244 for the latest editions), NZS 4217 and

the NZMRM Code of Practice, other relevant product manufacturer's recommendations and as shown on the design drawings.

No substitutions are permitted for the specified Gerard Roofing Systems.

2.2 Requirements

Help Note:
Clause options listed below are optional - as applicable, select only those options according to project requirements.

For technical advice and specification guidance email Gerard Roofs Ltd at customerservice@gerardroofs.co.nz or call 0800 100 244.

2.2.1 Safety

Comply with the Health and Safety at Work Act 2015 (HSWA), and with all relevant Health and Safety at Work Regulations 2016, and with all relevant WorkSafe New Zealand (WorkSafe) Approved Codes of Practice and WorkSafe Information and Guidance, particularly those for construction and building maintenance.

2.2.2 Warranty, Manufacturer - Textured Finish

Standard Environment (More than 500 m from breaking surf)

- 30 Years Perforation Warranty
- 20 Years Paint Warranty

Corrosive Environment (Within 500 m of breaking surf. Anything within 50 m East Coast and 100 m West Coast is not covered)

- 15 Years Perforation Warranty
- 15 Years Paint Warranty

2.2.3 Warranty, Manufacturer - Satin Finish

Standard Environment (More than 500 m from breaking surf)

- 30 Years Perforation Warranty
- 15 Years Paint Warranty

Corrosive Environment (Within 500 m of breaking surf. Anything within 50 m East Coast and 100 m West Coast is not covered)

SMARTSPEC