Allied Concrete Ready Decorative Solutions

TABLE OF CONTENTS

Specification Details....2
Clauses....2
Scope....2
Requirements....3
Ready Exposed - Supply Region....4
Ready Exposed - Mix....5
Ready Colour - Mix....20
Ready Glow....25
Ready Polished....26
Compliances....27

1 Specification Details

Trade Sections: Siteworks, Concrete, Swimming Pools, Landscaping
Description:
Keywords: Concrete, Siteworks, Allied Concrete, READY Exposed Aggregate Concrete, READY Coloured Concrete, READY Glow Sand, READY Glow Stones, READY Glow Disks, READY Glow Safety Domes, READY Sealer, decorative concrete, coloured concrete, exposed aggregate concrete, concrete slabs, concrete paving, Ambient Glow Technology, AGT, ready mixed concrete, natural river-rounded pebble aggregates, synthetic oxide pigments, concrete sealer, surface sealer

2 Clauses

2.1 Scope

Help Note:
Ready Exposed: decorative exposed-aggregate concrete consisting of river-rounded stones, available in a variety of colours according to Region.
FormaColoured: coloured concrete available in a range of colours from the FormaColoured Range.
Ready Glow: a range of light-emitting glow-in-the-dark stones that can be hand-seeded onto concrete surfaces or mixed into overlay mixes.
Ready Polished: decorative concrete designed for polishing, and available in a wide range of colours and stone combinations, including FormaColoured, Ready Exposed and Ready Glow.
If in doubt about any aspect of your specification, contact Allied Concrete on 0800 4 255 433.

2.1.1 Scope

Supply and install Allied Concrete Ready Decorative Solutions, as specified herein, to the locations shown on the drawings. All aspects of this work shall be in complete accordance with Allied Concrete Technical Literature, (check Decorative Concrete - Allied Concrete) or call 0800 425 5433 for the latest editions), other relevant product manufacturers' recommendations, other relevant sections of this specification, and as shown on the drawings.

No substitutions are permitted for the specified Allied Concrete Ready Decorative Solutions.

This specification specifies decorative concrete finishes from Allied Concrete, and must be read in conjunction with other specification sections of Concrete, including other Allied Concrete specifications, as they are interrelated.

2.1.2 Extent of Work

The following is a list and general description of the extent of the Allied Concrete Ready Decorative Solutions works, which are more specifically defined in the contract documents, required for the completion of the contract works:

2.2 Requirements

Help Note:
All of the clause options listed below are optional - as applicable, select only those options according to project requirements.

If in doubt about any aspect of your specification contact Allied Concrete at 0800 4 255 433.

2.2.1 Substitutions

Allied Concrete Ready Decorative Solutions shall be as specified herein and on the design drawings. The substitution of Allied Concrete branded products for alternative brands is not permitted under any circumstances.

The substitution by the Contractor of any Allied Concrete Ready Decorative Solutions products specified herein or on the design drawings shall only be permitted with the Contract Administrator's written authorisation and shall be at no additional cost to the Principal. Should any resultant extra work and/or redesign work be required to accommodate any alternative Allied Concrete Ready Decorative Solutions products to satisfy design, performance and compliance requirements, then the cost of these shall be borne by the Contractor.

SMARTSPEC

2.2.2 Sample

Prepare and submit a clearly identified 1000mm x 1000mm sample reference panel of the specified Allied Concrete Ready Decorative Solutions, with the specified finish, texture, colour, and other effects, for signed approval. Do not proceed until the sample has been approved.

The approved sample reference panel shall establish the required attributes of the decorative concrete, and serve as a quality reference.

2.2.3 Ready Polished Sample Section

Ready Polished Concrete Sample Section. Allow to finish an in-situ sample section of Ready Polished to the specified honed or polished surface finish and treatment for signed approval. Do not continue polishing treatment until the sample section has been approved or directed otherwise.

Sample Size:
Location:

2.2.4 Concreting

Concreting. Refer to separate specification section Concrete.

2.2.5 Reinforcing Steel

Reinforcing Steel. Refer to separate specification section - Reinforcing Steel (Concrete).

2.3 Ready Exposed - Supply Region

Help Note:
In order to specify **Ready Exposed Concrete** - select the relevant region where the concrete is sourced according to the Allied Concrete listing.
0800 4 255 433

Contact Allied Concrete for further information about regional boundaries.

2.3.1 Northland Region

Ready Exposed concrete shall be from the range of options scheduled in the Northland Ready Exposed Brochure. Refer to Ready Exposed clause for the specified mix.

2.3.2 Auckland Region

Ready Exposed concrete shall be from the range of options scheduled in the Auckland Ready Exposed Brochure. Refer to the Ready Exposed clause for the specified mix.

SMARTSPEC