Dimond Profiled Natural Lighting

TABLE OF CONTENTS

Specification Details 2
Clauses 3
- Scope 3
- Natural Lighting Profile 3
- Natural Lighting Material 6
- Components & Accessories 11
- Co-operation 13
- Workmanship 13
- Delivery & Handling 13
- Preparation 14
- Installation 15
- Fixing 16
- Completion 18

Compliances 18

SMARTSPEC

1 Specification Details

Trade Sections: Roofing
Description:
Keywords: Roofing, Dimond, Dimond Profiled Natural Lighting, skylight roofing clear roofing, translucent roofing, transparent roofing, GRP, GRP roofing, GRP cladding, glass reinforced plastic, glass-reinforced plastic, plastic roofing, cvlear roofing, clear plastic roofing, translucent polyester resin sheet, polyester sheet, solar roofing, natural lighting roof, natural light roofing, Durolite, Dimond Durolite, Durolite HeatGuard 4, Heatguard, Durolite HG4, HG4, Durolite HeatGuard 8, Durolite HG8, HG8, Durolite FireGuard 2, Durolite FireGuard FG2, Durolite FG2, FG2, Fireguard, Durolite FireGuard 3, Durolite FireGuard FG3, Durolite FG3, FG3, Corrugate, Dimond Corrugate, Styleline, Dimond Styleline, Dimondek 300, Dimond Dimondek 300, Dimondek 400, Dimond Dimondek 400, V-Rib, Dimond V-Rib, vrib, Dimondek 630, DP955, Dimond DP955, Brownbuilt 900, Dimond Brownbuilt 900, LT7, Dimond LT7, Steelspan 900, Dimond Steelspan 900, Super Six, Supersix, Dimond Super six, Topspan, Dimond Topspan, Veedek, Dimond Veedek, longrun roofing, long-run roofing, long run metal roofing, long-run metal roofing, longrun metal roof cladding, long-run metal roof cladding, profiled longrun roofing, profiled long-run roofing, roof cladding, profiled metal, profile metal, profiled steel, profile steel, profiled metal cladding, profiled metal roofing, profile metal roof cladding, profile metal roofing, metal roofing, metal cladding, prepainted roofing, pre-painted roofing, prepainted roof cladding, pre-painted roof cladding, prefinished roofing, pre-finished roofing, prefinished roof cladding, pre-finished roof cladding, precoated roofing, pre-coated roofing, precoated roof cladding, pre-coated roof cladding, prepainted steel, pre-painted steel, prefinished steel pre-finished steel, precoated steel, pre-coated steel, coated steel, prepainted metal, pre-painted metal, prefinished metal, pre-finished metal, precoated metal, pre-coated metal, coated metal, roll formed roofing, roll formed cladding, roll formed steel roofing, roll formed steel cladding, roll formed metal roofing, roll formed metal cladding, corrugated roofing, trapezoidal roofing, trough roofing, tray roofing, fully supported metal roofing, 0.4mm BMT, 0.55mm BMT, BMT, bmt, (BMT), base metal thickness, G550 steel, G300 steel, rainwater catchment, rainwater run-off, rainwater run off, run-off, run off, Colorsteel, Colorsteel Endura, Colorsteel Maxx, Colorcote, Colorcote ZM8, ZM8, ZMX, ZR8, ZRX, ARX, AR8, Zincalume, GALVSTEEL®, galvanised steel roofing,

cladding, long-run cladding, long run metal cladding, long-run metal cladding, longrun metal cladding, long-run metal wall cladding, profiled longrun cladding, profiled long-run cladding, wall cladding, profiled metal, profile metal, profiled steel,

SWARTISPEC

profile steel, profiled metal cladding, profile metal wall cladding,, metal cladding, prepainted cladding, pre-painted cladding, prepainted wall cladding, pre-painted wall cladding, prefinished cladding, pre-finished cladding, prefinished wall cladding, pre-finished wall cladding, precoated cladding, pre-coated cladding, precoated wall cladding, pre-coated wall cladding, prepainted steel, pre-painted steel, prefinished steel pre-finished steel, precoated steel, pre-coated steel, coated steel, prepainted metal, pre-painted metal, prefinished metal, pre-finished metal, precoated metal, pre-coated metal, coated metal, roll formed cladding, roll formed steel cladding, roll formed metal cladding, corrugated cladding, trapezoidal cladding, trough cladding, tray cladding, fully supported metal cladding,

2 Clauses

2.1 Scope

Help Note:
For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/dimond%20roofing.

2.1.1 Scope

Supply and install the specified Dimond Profiled Natural Lighting products to the locations identified on the drawings complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Dimond Roofing & Cladding Systems Manual and other relevant Dimond technical literature (check www.dimond.co.nz, or call 0800 346 663 for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Dimond Profiled Natural Lighting products.

2.2 Natural Lighting Profile

2.2.1 Brownbuilt 900

Dimond 'Brownbuilt 900'. Trapezoidal profile; 37mm deep; 150mm crest pitch; 36mm wide crest; 75mm wide pan; 960mm sheet width; 900mm effective cover. Manufactured from the material type specified below. The minimum roof pitch for Brownbuilt 900 is 3° (approx 1:20).
Installed as profiled natural light roofing sheet and/or wall cladding sheet in accordance with the manufacturer's requirements to the locations and details shown on the drawings.

Installed Location:

SMARTSPEC