Roofing Industries Profiled Metal Roofing

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Material 4
- Profile 6
- Components & Accessories 17
- Co-operation 20
- Workmanship 21
- Delivery & Handling 21
- Preparation 22
- Installation 23
- Completion 24

Compliances 25

SMARTSPEC

1 Specification Details

Trade Sections: Roofing
Description:
Keywords:

2 Clauses

2.1 Scope

Help Note:
Select the appropriate Environmental Category in which the project is situated:

- Mild (ISO Category 1-2): Characterised by no obvious marine or industrial influences. Typically areas far inland with no industrial emissions.
- Moderate (ISO Category 2): Characterised by no obvious marine or industrial influences. Typically more than 1000 metres from the exposed coasts, or more than 500 metres from industrial emissions.
- Marine (ISO Category 3): Characterised by little or no salt deposits; the occasional smell of salt in the air. Typically 500-1,000 metres from breaking surf such as found on exposed coasts, OR in the immediate vicinity of calm salt water such as estuaries.
- Severe (ISO Category 4): Characterised by light salt deposits; a frequent smell of salt in the air. Typically starts 100-500 metres from breaking surf such as found on exposed coasts; in the immediate vicinity of large expances of calm salt water such as harbour foreshores. This environment may be extended inland by prevailing winds and local conditions.
- Very Severe (ISO Category 5): Marine, Geothermal: Characterised by heavy salt deposits; the almost constant smell of salt spray in the air; close to breaking surf (typically 50-100 metres) such as found on exposed coasts; this environment may be extended inland by prevailing winds and local conditions. Typically 50 metres from high water on East Coast, 100 metres from high water on West Coast.

For further information and technical advice, call Roofing Industries on 0800 844 822, or email office@roof.co.nz.

For technical information on products to attach to this project, please visit https://productspec.co.nz/en/supplier/roofing industries

2.1.1 Mild - ISO Category 1-2

Supply and install the specified Profiled Metal Roofing from Roofing Industries to the locations identified on the drawings, complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Roofing Industries Profile Technical Summary and the NZMRM Code of Practice (check www.roof.co.nz, call 0800 844

822, or email office@roof.co.nz for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Roofing Industries Profiled Metal Roofing.

2.1.2 Moderate - ISO Category 2

Supply and install the specified Profiled Metal Roofing from Roofing Industries to the locations identified on the drawings, complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Roofing Industries Profile Technical Summary and the NZMRM Code of Practice (check www.roof.co.nz, call 0800 844 822, or email office@roof.co.nz for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Roofing Industries Profiled Metal Roofing.

2.1.3 Marine - ISO Category 3

Supply and install the specified Profiled Metal Roofing from Roofing Industries to the locations identified on the drawings, complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Roofing Industries Profile Technical Summary and the NZMRM Code of Practice (check www.roof.co.nz, call 0800 844 822, or email office@roof.co.nz for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Roofing Industries Profiled Metal Roofing.

2.1.4 Severe - ISO Category 4

Supply and install the specified Profiled Metal Roofing from Roofing Industries to the locations identified on the drawings, complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Roofing Industries Profile Technical Summary and the NZMRM Code of Practice (check www.roof.co.nz, call 0800 844 822, or email office@roof.co.nz for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Roofing Industries Profiled Metal Roofing.

2.1.5 Very Severe - ISO Category 5

Supply and install the specified Profiled Metal Roofing from Roofing Industries to the locations identified on the drawings, complete with all accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Roofing Industries Profile Technical Summary and the NZMRM Code of Practice (check www.roof.co.nz, call 0800 844 822, or email office@roof.co.nz for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Roofing Industries Profiled Metal Roofing.