Marley Rainwater Systems

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Spouting System 3
- Downpipe Profile 5
- Installation 6

Compliances 7

SMARTSPEC

1 Specification Details

Trade Sections: Plumbing, Roofing
Description:
Keywords: Roofing, Marley New Zealand, Marley, Stratus, rainwater systems, rain-water systems, rain water systems, spouting, roof spouting, gutters, guttering, roof gutters, roof guttering, downpipes, down pipes, down-pipes, uPVC spouting, uPVC gutters, uPVC guttering, uPVC downpipes, uPVC down-pipes, uPVC down pipes, PVC spouting, PVC gutters, PVC guttering, PVC downpipes, PVC down-pipes, PVC down pipes, uPVC rainwater system, PVC rainwater system, plastic rainwater system, plastic spouting, plastic gutter, plastic guttering, plastic downpipe, plastic down-pipe, plastic down pipe, spouting & downpipes, spouting and downpipes, gutters and downpipes, gutters & downpipes, rainwater runoff, rain water runoff, rainwater run-off, rain water run off, rainwater collection, rain water collection, residential spouting, residential gutters, residential downpipes, commercial spouting, commercial gutters, commercial downpipes, rainwater downpipes, Stormcloud spouting, Classic spouting, FL2 spouting, Ovation spouting, Magnum spouting, Typhoon spouting, Rectangular downpipe, Eclipse downpipe, Ovation downpipe, Magnum downpipe,

2 Clauses

2.1 Scope

Help Note:
For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/marley%20new%20zealand.

2.1.1 Marley uPVC

Supply and install the selected Marley uPVC Spouting and Downpipes, complete with all accessories, to the locations identified on the drawings. All aspects of this work shall be in complete accordance with Marley 'Spouting Systems Installation Guide' and product requirements, (check www.marley.co.nz, or call 0800 MARLEY for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

2.1.2 Stratus Design Series

Supply and install the selected Marley Stratus Design Series Spouting and Downpipes, complete with all accessories, to the locations identified on the drawings. All aspects of this work shall be in complete accordance with Marley Stratus Design Series Design and Installation Guide, (check www.marley.co.nz, or call 0800 MARLEY for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

SMARTSPEC

2.2 Spouting System

2.2.1 Marley Classic

Marley Classic™. An ogee-profiled, residential uPVC spouting system with internal brackets. 6,700mm² effective cross-sectional area. 97 litres/minute flow capacity. Coloured White.

2.2.2 Marley Stormcloud - White

Marley Stormcloud®. A quarter-round profiled, residential uPVC spouting system with internal brackets. 5,100mm² effective cross-sectional area. 70 litres/minute flow capacity. Coloured White.

2.2.3 Marley Stormcloud - Grey Friars

Marley Stormcloud®. A quarter-round profiled, residential uPVC spouting system with internal brackets. 5,100mm² effective cross-sectional area. 70 litres/minute flow capacity. Coloured Grey Friars.

2.2.4 Marley Stormcloud - Ironsand

Marley Stormcloud®. A quarter-round profiled, residential uPVC spouting system with internal brackets. 5,100mm² effective cross-sectional area. 70 litres/minute flow capacity. Coloured Ironsand.

2.2.5 Marley Stormcloud - Black

Marley Stormcloud®. A quarter-round profiled, residential uPVC spouting system with internal brackets. 5,100mm² effective cross-sectional area. 70 litres/minute flow capacity. Coloured Black.

2.2.6 Marley FL2 - with Internal Brackets

Marley FL2®. A high front-face profiled, residential uPVC spouting system with internal brackets. 4,800mm² effective cross-sectional area. 65 litres/minute flow capacity. Coloured White.

2.2.7 Marley FL2 - with External Brackets

Marley FL2®. A high front-face profiled, residential uPVC spouting system with external brackets. 4,800mm² effective cross-sectional area. 65 litres/minute flow capacity. Coloured White.

2.2.8 Marley Ovation

Marley Ovation®. A commercial capacity uPVC spouting system with internal brackets. 13,834mm² effective cross-sectional area. 240 litres/minute flow capacity. Coloured White.

2.2.9 Marley Magnum

Marley Magnum®. A commercial capacity, half-round uPVC spouting system with external brackets. 14,300mm² effective cross-sectional area. 250 litres/minute flow capacity. Coloured Grey.

2.2.10 Marley Typhoon - with Internal Brackets

Marley Typhoon®. A half-round profiled, residential uPVC spouting system with internal brackets. 6,100mm² effective cross-sectional area. 87 litres/minute flow capacity. Coloured White.