Knauf Insulation

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Requirements 3
- Underfloor Insulation 4
- External Wall Insulation 4
- Ceiling Insulation 10
- Skillion Roof Insulation 16
- Acoustic Insulation 19
- Co-operation 23
- Workmanship 23
- Delivery & Handling 24
- Installation 25
- Completion 28

Compliances 29

SMARTSPEC

1 Specification Details

Trade Sections: Insulation
Description:
Keywords: Insulation, Knauf Insulation, thermal insulation, acoustic insulation, acoustic performance, thermal performance, thermally bonded polyester insulation, non-woven polyester fibre insulation, polyester insulation, polyester fibre insulation, polyester thermal insulation, polyester acoustic insulation, polyester blanket insulation, polyester insulation pads, insulation blanket, thermal insulation blanket, thermal blanket, thermal insulating blanket, pads, insulation pads, thermal insulation pads, thermal pads, insulating pads, thermal insulating pads, acoustic blanket, acoustic pads, acoustic insulation blanket, acoustic insulation pads, acoustic insulating blanket, acoustic insulating pads, acoustic panels, insulating panels, acoustic insulation panels, thermal envelope insulation, envelope insulation, cavity insulation, under floor insulation, floor insulation, floor cavity insulation, interfloor insulation, inter-floor insulation, interstorey insulation, inter-storey insulation, wall insulation, wall cavity insulation, external wall insulation, internal wall insulation, partition insulation, partitioning insulation, acoustic partition, acoustic partitions, acoustic wall, acoustic walls, ceiling insulation, ceiling cavity insulation, roof insulation, roof space insulation, roof cavity insulation, skillion insulation, skillion roof insulation, skillion cavity insulation, ceiling baffle, baffle stack, acoustic baffle, acoustic baffle stack, acoustic block, sound block, masonry wall insulation, duct insulation, ducting insulation, commercial insulation, commercial thermal insulation, commercial acoustic insulation, Earthwool Glasswool Insulation, EarthWool Underfloor, EarthWool Wall, EarthWool Ceiling, EarthWool Roof, EarthWool Sound Insulation, Quilted Underfloor Segments,ClimaFoam Insulation, ClimaFoam XPS Board, Jet Stream MAX blow in insulation, Jetstream MAX Insulation, Jet Stream® MAX blow-in Cavity Insulation, Jet Stream® MAX blow-in Ceiling Insulation,

2 Clauses

2.1 Scope

Help Note:
This specification covers Knauf Insulation glasswool insulation (*External Wall, Ceiling, Skillion Roof, Acoustic Insulation*). Select the appropriate insulation material according to Application and R-value, etc.

For full product information and details go to www.knauf.com/en-NZ/knauf-insulation.

If in doubt about any aspect of your specification contact Knauf Insulation on 0800 562 834.

SWEETSPEC

For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/knauf%20insulation.

2.1.1 Scope

Supply and install Knauf Insulation glasswool insulation, as specified herein, to external walls, internal walls, floors, mid-floors, ceilings, roofs, partitions, concrete slabs and other areas as identified on the drawings, complete with accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with Knauf Insulation product manuals and installation guides, (check www.knauf.com/en-NZ/knauf-insulation, or call 0800 562 834 for the latest editions), Knauf Insulation BRANZ Appraisals and CodeMark Certificates as applicable, other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for the specified Knauf insulation products.

2.1.2 Extent of Work

The following is a list and a general description of the extent of the Knauf Insulation works, which are more specifically defined in the contract documents, required for the completion of the contract works:

2.2 Requirements

2.2.1 Safety

Comply with the Health and Safety at Work Act 2015 (HSWA), and with all relevant Health and Safety at Work Regulations 2016, and with all relevant WorkSafe New Zealand (WorkSafe) Approved Codes of Practice and WorkSafe Information and Guidance, particularly those for construction and building maintenance.

2.2.2 Substitutions

Knauf Insulation products shall be as specified herein on the design drawings. The substitution of Knauf Insulation branded products for alternative brands is not permitted under any circumstances.

The substitution by the Contractor of any Knauf Insulation products specified herein or on the design drawings shall only be permitted with the Contract Administrator's written authorisation, and shall be at no additional cost to the Principal. Should any resultant extra work and/or redesign work be required to accommodate any alternative Knauf Insulation products to satisfy design, performance and compliance requirements, then the cost of these shall be borne by the Contractor.

2.2.3 Defective Materials & Work

Should defective materials and/or work be found at any time before final acceptance of the work, it shall be rejected. All rejected Knauf Insulation materials and work shall be repaired and/or replaced to the satisfaction of the Contract Administrator, without delay and at no additional expense to the Principal.

SMARTSPEC