Potter Ceiling Panels

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Grid 3
- Ceiling Panel Type 3
- Ceiling Panel 4
- Seismic 8
- Co-operation 9
- Workmanship 9
- Delivery & Handling 9
- Preparation 9
- Installation 9
- Spares 10
- Completion 10
- Warranty 10

Compliances 10

SMARTSPEC

1 Specification Details

Trade Sections: Suspended Ceilings
Description:
Keywords: Suspended Ceilings, Potter Interior Systems, Potters, ceiling, ceilings, suspended ceiling system, ceiling system, grid, ceiling grid, suspended grid, suspended ceiling grid, ceiling frame, suspended ceiling frame, 24mm ceiling grid, 15mm ceiling grid, ceiling panel, ceiling panels, ceiling tile, ceiling tiles, suspended ceiling tiles, suspended ceiling panels, 1200 x 600 ceiling panels, 600 x 600 ceiling panels, 1200 x 600 ceiling tiles, 600 x 600 ceiling tiles, acoustic tiles, acoustic ceiling tiles, acoustic panels, acoustic ceiling panels, fissured tiles, fissured ceiling tiles, fissured panels, fissure ceiling panels, textured tiles, textured ceiling tiles, textured panels, textured ceiling panels, tegular edge ceiling tiles, tegular edge ceiling panels, square edge tiles, square edge ceiling tiles, square edge panels, square edge ceiling panels, white ceiling tiles, white ceiling panesl, coloured ceiling tiles, coloured ceiling panels, metal ceiling tiles, metal ceiling panels, USG ceiling tiles, USG ceiling panels, AMF ceiling tiles, AMF ceiling panels, Thermatex ceiling panels, ClimaPlus ceiling panels, Gibtone vinyl ceiling panels, Geometrix ceiling panels,

2 Clauses

2.1 Scope

Help Note:
Select the appropriate grid size.

For technical information on products to attach to this project, please visit https://productspec.co.nz/en/supplier/potter interior systems

2.1.1 1200 x 600 Ceiling Panels

Supply and install the selected Potter Interior Systems Ceiling Panels to the 1200mm x 600mm suspended ceiling grid identified on the drawings complete with all accessories. All aspects of this work shall be in complete accordance with Potter Interior Systems Technical Literature, and Installation Manuals, (check www.potters.co.nz, or call 0800 768 837 for the latest editions), and other relevant product manufacturers' recommendations.

No substitutions are permitted for Potter Interior Systems Ceiling Panels.

2.1.2 600 x 600 Ceiling Panels

Supply and install the selected Potter Interior Systems Ceiling Panels to the 600mm x 600mm suspended ceiling grid identified on the drawings complete with all accessories. All aspects of this work shall be in complete accordance with Potter Interior Systems Technical Literature, and

SMARTSPEC

Installation Manuals, (check www.potters.co.nz, or call 0800 768 837 for the latest editions), and other relevant product manufacturers' recommendations.

No substitutions are permitted for Potter Interior Systems Ceiling Panels.

2.2 Grid

2.2.1 24mm Ceiling Grid - 1200 x 600mm

24mm Ceiling Grid.

2.2.2 15mm Ceiling Grid - 1200 x 600mm

15mm Ceiling Grid.

2.2.3 24mm ceiling Grid - 600 x 600mm

24mm Ceiling Grid.

2.2.4 15mm Ceiling grid - 600 x 600mm

15mm Ceiling Grid.

2.3 Ceiling Panel Type

2.3.1 Economy - 24mm - 1200 x 600mm

Economy type ceiling panel as specified below.

2.3.2 Economy - 24mm - 600 x 600mm

Economy type ceiling panel as specified below.

2.3.3 Mid-range - 24mm - 1200 x 600mm

Mid-range type ceiling panel as specified below.

2.3.4 Mid-range - 15mm - 1200 x 600mm

Mid-range type ceiling panel as specified below.

2.3.5 Mid-range - 24mm - 600 x 600mm

Mid-range type ceiling panel as specified below.

2.3.6 Mid-range - 15mm - 600 x 600mm

Mid-range type ceiling panel as specified below.

2.3.7 Acoustic - 24mm - 1200 x 600mm

Acoustic.

2.3.8 Acoustic - 24mm - 600 x 600mm

Acoustic type ceiling panel as specified below.

SMARTSPEC