Dulux Painting Interior

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Requirements 2
- Plasterboard Ceilings - New 2
- Plasterboard Walls - New 4
- Fibre Cement Sheet Ceilings - New 8
- Fibre Cement Sheet Walls - New 9
- Fibrous Plaster Ceilings - New 12
- Fibrous Plaster Walls - New 12
- Concrete Ceilings - New 13
- Concrete Walls - New 14
- Concrete Floors - New 17
- Masonry Walls - New 19
- Timber Walls, Ceilings, Trims, Doors, Frames - New 22
- Timber Floors - New 25
- Mild Steel - New 27
- Galvanised & Zinc Coated Steel - New 29
- Non-Ferrous Metals - New 30
- Plasterboard Ceilings - Existing 32
- Plasterboard Walls - Existing 34
- Fibre Cement Sheet Ceilings - Existing 37
- Fibre Cement Sheet Walls - Existing 38
- Fibrous Plaster Ceilings - Existing 40
- Fibrous Plaster Walls - Existing 40
- Concrete Ceilings - Existing 41
- Concrete Walls - Existing 42
- Concrete Floors - Existing 44
- Masonry Walls - Existing 46
- Timber Walls, Ceilings, Trims, Doors, Frames - Existing 48
- Timber Floors - Existing 51
- Mild Steel - Existing 53
- Galvanised & Zinc Coated Steel - Existing 55
- Non-Ferrous Metal - Existing 56
- Specialty Finishes 57

Compliances 58

SMARTSPEC

1 Specification Details

Trade Sections: Painting & Decorating
Description:
Keywords: Painting, Dulux, Painting General, painting interior, painting exterior, painting environmental, environmental painting, environmental paint, environmental paints, paint, paints, painting preparation, paint preparation, paint application, painting application, paint coats, paint coating, primer, undercoat, top coat, water based paint, waterbased paint, water-based paint, solvent based paint, solvent-based paint, oil based paint, oil-based paint, alkyd paint, clear coating, clear paint, polyurethane, clear polyurethane, wet-area paint, wet area paint, wetarea paint, interior paint, exterior paint, stain, wood stain, oil stain, oil based stain, oil-based stain, water based stain, water-based stain, interior stain, exterior stain, deck stain, timber stain, clear finish, hard wearing paint, floor paint, ceiling paint wall paint, concrete paint, masonry paint steel paint, metal paint, galvanised steel paint, galvanized steel paint, non-ferrous metal paint, copper paint, zinc paint, fibre cement paint, fibre-cement paint, fibrous plaster paint, plasterboard paint, plaster board paint, plaster-board paint, specialty paint finishes, DuSpec, paint spec

2 Clauses

2.1 Requirements

Help Note:
Dulux Interior Painting systems are listed in order of 'New' and 'Existing' substrate types.
Select the required Dulux DuSpec system from the relevant substrate type.

Dulux DuSpec **Specialty Finishes** are listed last - (clause editing required).

For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/dulux.

2.1.1 Requirements

This schedule of specified Dulux coating systems must be read in conjunction with the 'Dulux Painting General' section of the Painting specification, of which all clauses and requirements shall be binding.

2.2 Plasterboard Ceilings - New

Help Note:
Systems identified by an asterisk (*) denote the Dulux-recommended gloss level.

SMARTSPEC

2.2.1 Paperfaced Plasterboard New - Ceilings - Paint - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Paint - Flat.
Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09005.
Fire Rating: Group Number 1-S; Report Number 5054.
1st Coat: DULUX 1 Step Acrylic Primer Sealer & Undercoat @ 16m²/L.
2nd Coat: DULUX Professional Tintable Ceiling Flat @ 12.8m²/L.
3rd Coat: DULUX Professional Tintable Ceiling Flat @ 12.8m²/L.

2.2.2 Paperfaced Plasterboard New - Ceilings - Ultra Low VOC Paint - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Ultra Low VOC Paint - Flat. Best Environmental System.
Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09007.
Fire Rating: Group Number 1-S; Report Number 5054.
1st Coat: DULUX Professional Enviro2 Acrylic Sealer Undercoat @ 14m²/L.
2nd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.
3rd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.

2.2.3 Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Flat.
Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09004.
Fire Rating: Group Number 1-S; Report Number 5054; NZBC C/VM2 A1.5.
1st Coat: DULUX Professional Ultra 5 Surfacer, Prep & Finish @ 3m²/L.
2nd Coat: DULUX Professional Tintable Ceiling Flat @ 12.8m²/L.
3rd Coat: DULUX Professional Tintable Ceiling Flat @ 12.8m²/L.

2.2.4 Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Ultra Low VOC - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Ultra Low VOC Paint - Flat. Best Environmental System.
Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09009.
Fire Rating: Group Number 1-S; Report Number 5054; NZBC C/VM2 A1.5.
1st Coat: DULUX Professional Ultra 5 Surfacer, Prep & Finish @ 3m²/L.
2nd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.
3rd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.

2.2.5 Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Low Sheen*

Interior Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Low Sheen. Best Environmental System.