Resene Exterior Environmental Surfaces

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Exterior cementitious – New 3
- Exterior Cementitious – Existing 5
- Exterior Timber – New 6
- Exterior timber - Existing 7
- Exterior Metal Roofing, Cladding, Flashings – New 8
- Exterior Metal Roofing, Cladding, Flashings - Existing 9
- Exterior Brick – New 10
- Exterior brick – Existing 11
- Exterior metal – New 11
- Exterior metal – Existing 12
- Exterior PVC – New 13
- Exterior PVC – Existing 13
- Resene Exterior Environmental Surfaces 14

Compliances 38

SMARTSPEC

1 Specification Details

Trade Sections: Painting & Decorating
Description: Exterior Environmental finishing's
Keywords: 11/21, Painting, Resene, paints, painting and decorating, painting & decorating, decorating, Exterior paints, exterior painting, exterior surfaces, waterborne paint, water-borne paint, water borne paint, waterborne stain, water-borne stain, water borne stain, clear waterborne paint, clear water-borne paint, clear water borne paint, water borne stain, solventborne paint, solvent-borne paint, solvent borne paint, solventborne stain, solvent-borne stain, solvent borne stain, clear solventborne paint, clear solvent-borne paint, clear solvent borne paint, gloss paint, semi-gloss paint, semi-gloss enamel paint, semi gloss paint, semi gloss enamel paint, clear semi-gloss, clear semi gloss, satin paint, flat paint, flat enamel paint, low sheen paint, low-sheen paint, low sheen enamel paint, low-sheen enamel paint, flat ceiling paint, metallic finish paint, pearlescent finish paint, clear flat, flat stain

2 Clauses

2.1 Scope

Help Note:
Please read before choosing your system: Every endeavour has been made to ensure that the information contained in this specification matches with the Resene TechSpec Specification System, if you see any errors or omissions or have any queries, please contact Resene at advice@resene.co.nz.

Please refer to the applicable Resene Technical Data Sheets & Resene Surface Information & Preparation Data Sheets (SIPDS) for additional information prior to completing your specification. These can be located on the Resene Website
link https://www.resene.co.nz/archspec/datasheets/data-sheets.htm

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

Add a location to any selected Resene systems.

If in doubt about any aspect of your specification please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

For technical information on products to attach to this project, please visit www.productspec.co.nz/resene

NOTE:
After completing the Clauses, in blue to the right. Proceed to the final clause, **RESENE EXTERIOR**

SMARTSPEC

ENVIRONMENTAL SURFACES.
There will be a selection of relevant options there.

2.1.1 Scope

This section relates to the surface preparation, painting and clear finishing of new and existing exterior substrates using Resene architectural and decorative coating systems.

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

If in doubt about any aspect of this specification, please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

2.2 Exterior cementitious – New

Help Note:
Please read before choosing your system: Every endeavour has been made to ensure that the information contained in this specification matches with the Resene TechSpec Specification System, if you see any errors or omissions or have any queries, please contact Resene at advice@resene.co.nz.

Please refer to the applicable Resene Technical Data Sheets & Resene Surface Information & Preparation Data Sheets (SIPDS) for additional information prior to completing your specification. These can be located on the Resene Website
link https://www.resene.co.nz/archspec/datasheets/data-sheets.htm

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

Add a location to any selected Resene systems.

If in doubt about any aspect of your specification please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

For technical information on products to attach to this project, please visit www.productspec.co.nz/resene

NOTE:
After completing the Clauses, in blue to the right. Proceed to the final clause, **RESENE EXTERIOR ENVIRONMENTAL SURFACES**.
There will be a selection of relevant options there.

2.2.1 New Exterior In-Situ Concrete – Paint

New Exterior In-Situ Concrete – Paint

SMARTSPEC