ABODO - Weatherboard Cladding

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Requirements 3
- Weatherboard Cladding Material 4
- Weatherboard Profile & Orientation 5
- Timber Mouldings 8
- Coating 9
- Accessories 10
- Cavity Battens 11
- Cavity Base Closer 15
- Co-operation 15
- Workmanship 16
- Delivery & Handling 16
- Preparation 17
- Installation 21
- Flashings 26
- Fixing 28
- Completion 35

Compliances 36

SMARTSPEC

1 Specification Details

Trade Sections: Carpentry
Description:
Keywords: Carpentry, Abodo Wood, Abodo Weatherboard Cladding, Vulcan Primed Cladding, Vulcan Cladding, Tundra Cladding, cladding, cladding systems, cavity cladding system, wall cladding, weatherboard, weatherboards, timber weatherboards, timber bevel back weatherboards, timber bevelback weatherboards, timber ship lap weatherboards, timber ship-lap weatherboards, timber rusticated weatherboards, weatherboard cladding, exterior cladding, exterior weatherboard cladding system, bevelback weatherboards, bevel-back weatherboards, bevel back weatherboards, rusticated weatherboards, shiplap, ship-lap, shiplap weatherboards, ship-lap weatherboards, vertical shiplap, vertical ship-lap, engineered timber weatherboards, horizontal cladding, horizontal boards, horizontal weatherboards, vertical cladding, vertical boards, vertical weatherboards, standard bevel back weatherboard, standard bevel-back weatherboard, Hector Weatherboard, Zara Weatherboard, Vertical Shiplap, thermally modified wood, thermally modified weatherboard,, thermally modified radiata pine, Douglas fir weatherboard, Douglas fir cladding,

2 Clauses

2.1 Scope

Help Note:
For technical enquiries contact ABODO Wood on 09 249 0100, or email info@abodo.co.nz.

For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/abodo%20wood.

2.1.1 Scope

Supply and install ABODO - Weatherboard Cladding, as specified herein, to the locations identified on the drawings, complete with all system components and accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the Abodo CodeMark Weatherboard Cladding System Manual (2020) and ABODO product literature (check abodo.co.nz, or email info@abodo.co.nz, or call 09 249 0100 for the latest editions), and other relevant product manufacturers' recommendations, within the conditions and limitations of the Abodo Weatherboard Cladding CodeMark Certificate of Conformity

ABODO - Weatherboard Cladding is CodeMark assured to comply with the New Zealand Building Code:CodeMark Certificate of Conformity No.CM70046 Rev1, issued by Bureau Veritas New Zealand.

No substitutions are permitted for ABODO - Weatherboard Cladding.

SMARTSPEC

For the purpose of this specification, the Abodo CodeMark Weatherboard Cladding System Manual (2020) publication is referred to as the 'Abodo Cladding Manual'.

2.1.2 Extent of Work

The following is a list and a general description of the extent of the ABODO - Weatherboard Cladding works, which are more specifically defined in the contract documents, required for the completion of the contract works:

2.2 Requirements

Help Note:
For technical enquiries contact ABODO Wood on 09 249 0100, or email info@abodo.co.nz.

2.2.1 Safety

Comply with the Health and Safety at Work Act 2015 (HSWA), and with all relevant Health and Safety at Work Regulations 2016, and with all relevant WorkSafe New Zealand (WorkSafe) Approved Codes of Practice and WorkSafe Information and Guidance, particularly those for construction and building maintenance.

2.2.2 Warranty

ABODO Wood Ltd 'Built-to-Last Warranty':
- 15 Year Warranty - for all ABODO - Standard Weatherboard Cladding materials installed, according to the warranty conditions.
- Provide the ABODO Wood Ltd 'Built-to-Last Warranty' on the manufacturer's standard warranty form.
- Commence the warranty from the date of permanent installation.

2.2.3 Substitutions

ABODO - Weatherboard Cladding shall be as specified herein and as indicated on the approved drawings. The substitution of ABODO Wood branded products for alternative brands is not permitted under any circumstances.

The substitution of a specified ABODO Wood product for an alternative ABODO Wood branded product by the Contractor shall only be permitted with the Architect's/Designer's written authorisation, and shall be at no additional cost to the Principal. Should any resultant extra work and/or redesign work be required to accommodate alternative ABODO Wood branded products to satisfy design, performance and compliance requirements, then the cost of these shall be borne by the Contractor.

2.2.4 Defective Materials & Work

Should defective materials and/or work be found at any time before the final acceptance of the work, it shall be rejected. Rejected ABODO Weatherboard Cladding materials and work shall be repaired and/or replaced to the satisfaction of the Architect/Designer, without delay and at no additional cost to the Principal.

SMARTSPEC