Tile Warehouse Exterior Tiling

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Requirements 3
- Exterior Floor & Wall Tiles 5
- Continuously Immersed Tiles 10
- Raised-Floor Floating Tiles 14
- Levelling & Patching Compounds 16
- Undertile Waterproofing 16
- Tile Adhesive 20
- Tile Grout 21
- Tile Adhesive 21
- Tile Grout 29
- Flexible Sealant 31
- Tiling Trim 32
- Raised-Floor Floating Tile System 35
- Co-operation 35
- Workmanship 36
- Delivery & Handling 36
- Preparation 37
- Installation 39
- Completion 44

Compliances 45

SMARTSPEC

1 Specification Details

Trade Sections: Tiling
Description:
Keywords: Tiling, Tile Warehouse, Exterior Tiling, external tiles, exterior tiles, outside tiles, outdoor tiles, pool tiles, swimming pool tiles, floor tiles, flooring tiles, wall tiles, continuously immersed tiles, continuously-immersed tiles, raised floor floating tiles, raised-floor floating tiles, floating tiles, step tiles, nosing tiles, stair tiles, trimming tiles, trim tiles, decorative tiles, porcelain tiles, mosaic tiles, natural stone tiles, large format tiles, hand made tiles, hand-made tiles,

2 Clauses

2.1 Scope

Help Note:
This specification covers the supply and installation of Exterior Tiles from Tile Warehouse - for Floors, Walls, Continuously-Immersed tiling applications, and for Raised-Floor Floating Tiles.

Tiles are specified according to application - *edit the relevant clauses to enter the specific details of each tile being specified*.

The specification of tile adhesives, grouts and other exterior tiling components and accessories should be done in consultation with your Tile Warehouse Technical Representative according to application and performance requirements.

Tile Warehouse recommend the use of ARDEX tiling systems products - including levelling and patching compounds; undertile waterproofing membranes; tile adhesives; grouts; flexible sealant.

If in doubt about any aspect of your specification contact Tile Warehouse on 0800 289 845.

For technical information on products to attach to this project, please visit
https://productspec.co.nz/en/supplier/tile warehouse

2.1.1 Scope

Supply and install Exterior Tiles from Tile Warehouse, as specified herein, to the locations, layouts and details shown on the design drawings, complete with all associated components and accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with relevant standards, manufacturers' technical literature (check www.tilewarehouse.co.nz, or call 0800 289 845 for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for the exterior tiling materials and products from Tile Warehouse specified herein.

SMARTSPEC

2.1.2 Extent of Work

The following is a list and/or general description of the extent of Tile Warehouse Exterior Tiling works, which are more specifically defined in the contract documents, required for the completion of the contract works:

2.2 Requirements

Help Note:
Clause options listed below are optional - as applicable, select only those options according to project requirements.

If in doubt about any aspect of your specification contact Tile Warehouse on 0800 289 845.

2.2.1 Safety

Comply with the Health and Safety at Work Act 2015 (HSWA), and with all relevant Health and Safety at Work Regulations 2016, and with all relevant WorkSafe New Zealand (WorkSafe) Approved Codes of Practice and WorkSafe Information and Guidance, particularly those for construction and building maintenance.

2.2.2 Warranty - Product

Manufacturer/Supplier Product Warranty - Exterior Tiling:
- 10 Years' Warranty for exterior tiling materials - according to warranty terms and conditions.
- Provide the Product Warranty on the standard warranty form.
- Include a copy of the Tile Warehouse '10 Year Guarantee' for tiles.
- Commence the warranty from the date of practical completion of the contract works.

2.2.3 Warranty - Installation

Installer's Installation Warranty:
- 2 Years' Warranty for execution and workmanship of exterior tiling - according to warranty terms and conditions.
- Provide the Installation Warranty on the standard warranty form.
- Commence the warranty from the date of practical completion of the contract works.

2.2.4 Substitutions

Tile Warehouse Exterior Tiling components shall be as specified herein and on the design drawings. The substitution of a specified exterior tiling component for an alternative brand or material or supplier is not permitted under any circumstances.

The substitution of a specified exterior tiling component for an alternative, non-specified component from Tile Warehouse by the Tiler shall only be permitted with the Contract Administrator's written authorisation, and shall be at no additional cost to the Principal. Should any resultant extra work and/or redesign work be required to accommodate an alternative, non-specified exterior tiling component from Tile Warehouse to satisfy design, performance and compliance requirements, then the cost of these shall be borne by the Tiler.

SMARTSPEC