Sto Plastered Cladding Systems

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Co-operation 3
- Sample 3
- Workmanship 3
- Delivery & Handling 3
- Preparation 4
- Plastered Cladding System 7
- Insulation Panel 9
- Cavity Battens 9
- Installation 10
- Control Joints 13
- Flexible Sealant 14
- Fixing 14
- Substrate Primer 14
- Sheet Jointing 15
- Basecoat 15
- Meshed Waterproofing 16
- Mesh Coat 16
- Finishing Coat 18
- Coating 19
- Completion 20

Compliances 20

SWARTSPEC

1 Specification Details

Trade Sections: Plasterwork
Description:
Keywords: Plasterwork, STO Plaster Systems, cladding, cladding systems, plastered wall cladding systems, exterior wall cladding systems, plastered exterior wall cladding systems, stucco plaster cladding systems, insulated plaster cladding systems, plastered panel veneer, plastered veneer, AAC, (AAC), AAC panels, autoclaved aerated concrete, autoclaved aerated concrete panel, aerated concrete panel, AAC cladding, wall cladding, plastered AAC, plastered autoclaved aerated concrete panels, AAC lightweight panels, AAC light weight panels, EIFS cladding systems, light wall cladding, external walls, external cladding, external wall cladding, cavity, 20mm cavity, 20mm drained cavity, 40mm cavity, 40mm drained cavity, cavity, drained cavity, cavity panel, cavity construction, wall cavity, wall cavity cladding, wall cavity panels, cavity battens, cavity batten ties, plastered facade systems, plastered polystyrene cladding, plastered EPS cladding, plastered lightweight concrete cladding, plastered light-weight concrete cladding, plastered light weight concrete cladding, plastered LWC cladding, plastered precast concrete panels, plastered AAC panels, plastered AAC blocks, plastered AAC brick, plastered fibre cement sheet, plastered fibre-cement sheet, plaster, plastering, plaster finishes, plastered cladding, plaster systems, plaster cladding systems, wall cladding plaster systems, plastered exterior wall cladding, plastered walls, wall plaster, facade plaster systems, polystyrene plaster systems, EPS plaster systems, lightweight concrete plaster systems, light-weight concrete plaster systems, light weight concrete plaster systems, LWC plaster systems, precast concrete plaster systems, concrete plaster systems, AAC panel plaster systems, AAC block plaster systems, AAC brick plaster systems, fibre cement sheet plaster systems, fibre-cement sheet plaster systems, StoStucco Plaster System, StoLite Stucco Cavity System, StoTherm Insulation Panel System, StoPoren Panel Cladding System, StoPoren Block Veneer System, StoTherm Masonry Insulation System, StoPoren Plaster System, StoStucco Plaster System, StoLite Plaster System, StoArmat Plaster System, StoVario Plaster System,

2 Clauses

2.1 Scope

Help Note:
For technical information on products to attach to this project, please visit
https://productspec.co.nz/en/supplier/sto

SWEETSPEC

2.1.1 Scope

Supply and install the selected Sto Plastered Cladding System to the walls identified on the drawings and as noted below, complete with all system components and accessories. All aspects of this work shall be in complete accordance with Sto Plastered Cladding System Specifications and Installation Guides and Details and Sto BRANZ appraised system (check www.sto.co.nz, or call 04 801 4749 for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

No substitutions are permitted for Sto Plastered Cladding Systems.

2.2 Co-operation

2.2.1 Co-operation

Co-operate with other trades to ensure that all preliminary and preparatory works are completed to specification and as shown on the drawings. Co-ordinate with other trades to install Sto Plastered Cladding Systems as required.

2.3 Sample

2.3.1 Sample

Submit a clearly identified 300 x 300mm sample of the selected coloured plaster finish for signed approval of the Architect/Designer; do not proceed until the sample has been approved.

2.4 Workmanship

2.4.1 Workmanship

Where required by the NZ Building Act 2004 it is the building contractor's responsibility to ensure that all restricted building work is carried out by a Licensed Building Practitioner.

All work shall be carried out to best trade practice by experienced and skilled PPCS (Proprietary Plaster Cladding Systems) Registered Tradesmen certified to apply and install Sto claddings and plaster in accordance with the Sto Specifications and Installation Guides and Details and as shown on the drawings.
Protect all adjacent surfaces as necessary before commencing. Mask off all window and door joinery and other exposed fittings and fixtures and all glazing.
Leave all plastered surfaces clean, sound, and free from blemishes of any kind.
All cladding installation work shall be by a licensed LBP and registered Sto Contractor installed in accordance with the relevant Sto Plastered Cladding System Specification and Details or as per the project drawings.

2.5 Delivery & Handling

2.5.1 Delivery & Handling

Store all Sto plasters, cladding/insulation panels, and accessories under cover; keep dry and protect from damage at all times. Store cladding/insulation panels and uPVC mouldings off the ground on a