Resene Interior Surfaces

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Plasterboard - New 3
- Plasterboard - Existing 4
- Interior timber - New 5
- Interior Timber - Existing 7
- Interior Fibre Cement Board - New 8
- Interior Fibre Cement Board - Existing 9
- Interior fibrous plaster Sheeting - New 10
- Interior fibrous plaster Sheeting - Existing 11
- Interior cementitious Surfaces - New 12
- Interior cementitious Surfaces - Existing 13
- Interior Metal - New - Mild Steel Single Pack – Decorative Option 14
- Interior Metal - Existing 15
- Resene Interior Surfaces 15

Compliances 60

SMARTSPEC

1 Specification Details

Trade Sections: Painting & Decorating
Description: Interior finishing's
Keywords: Painting, Resene, paints, painting and decorating, painting & decorating, decorating, interior paints, interior painting, interior surfaces, waterborne paint, water-borne paint, water borne paint, waterborne stain, water-borne stain, water borne stain, clear waterborne paint, clear water-borne paint, clear water borne paint, water borne stain, solventborne paint, solvent-borne paint, solvent borne paint, solventborne stain, solvent-borne stain, solvent borne stain, clear solventborne paint, clear solvent-borne paint, clear solvent borne paint, gloss paint, semi-gloss paint, semi-gloss enamel paint, semi gloss paint, semi gloss enamel paint, clear semi-gloss, clear semi gloss, satin paint, flat paint, flat enamel paint, low sheen paint, low-sheen paint, low sheen enamel paint, low-sheen enamel paint, flat ceiling paint, metallic finish paint, pearlescent finish paint, clear flat, flat stain,

2 Clauses

2.1 Scope

Help Note:
Please read before choosing your system: Every endeavour has been made to ensure that the information contained in this specification matches with the Resene TechSpec Specification System, if you see any errors or omissions or have any queries, please contact Resene at advice@resene.co.nz.

Please refer to the applicable Resene Technical Data Sheets & Resene Surface Information & Preparation Data Sheets (SIPDS) for additional information prior to completing your specification. These can be located on the Resene Website link
https://www.resene.co.nz/archspec/datasheets/data-sheets.htm

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

Add a location to any selected Resene systems.

If in doubt about any aspect of your specification please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

For technical information on products to attach to this project, please visit www.productspec.co.nz/resene

NOTE:
After completing the Clauses, in blue to the right. Proceed to the final clause, **RESENE INTERIOR**

SMARTSPEC

SURFACE.
There will be a selection of relevant options there.

2.1.1 Scope

This section relates to the surface preparation, painting and clear finishing of new and existing interior substrates using Resene architectural and decorative coating systems.

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

If in doubt about any aspect of this specification, please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

2.2 Plasterboard - New

Help Note:
Please read before choosing your system: Every endeavour has been made to ensure that the information contained in this specification matches with the Resene TechSpec Specification System, if you see any errors or omissions or have any queries, please contact Resene at advice@resene.co.nz.

Please refer to the applicable Resene Technical Data Sheets & Resene Surface Information & Preparation Data Sheets (SIPDS) for additional information prior to completing your specification. These can be located on the Resene Website link
https://www.resene.co.nz/archspec/datasheets/data-sheets.htm

All products are ECNZ (Environmental Choice New Zealand) approved unless otherwise noted with NEC (Non-Environmental Choice)

Add a location to any selected Resene systems.

If in doubt about any aspect of your specification please contact your Resene representative or call 0800 RESENE (737 363) or email advice@resene.co.nz.

For technical information on products to attach to this project, please visit www.productspec.co.nz/resene

NOTE:
After completing the Clauses, in blue to the right. Proceed to the final clause, **RESENE INTERIOR SURFACE**.
There will be a selection of relevant options there.

2.2.1 New Plasterboard Walls – Dry areas

New Plasterboard Walls – Dry areas

SMARTSPEC