# James Hardie Eaves & Soffits

## TABLE OF CONTENTS


Specification Details ..... 2
Clauses ..... 2
- Scope ..... 2
- Eaves & Soffit Lining ..... 2
- Elements ..... 3
- Co-operation ..... 4
- Preparation ..... 4
- Flexible Sealant ..... 5
- Adhesive Sealant ..... 5
- Workmanship ..... 5
- Delivery & Handling ..... 6
- Installation ..... 6
- Fixings ..... 8
- Completion ..... 10

Compliances ..... 11


SMARTSPEC

# 1 Specification Details

Trade Sections: Carpentry
Description:
Keywords: Carpentry, James Hardie, Hardies, soffit, soffits, cladding, external linings, exterior linings, soffit lining, eaves lining, verge lining, canopy linings, fibre-cement, fibre cement, medium density fibre-cement, medium density fibre cement, sanded fibre-cement, sanded fibre cement, fibre cement sheet, fibre-cement sheet, fibre cement panel, fibre-cement panel, monolithic lining, monolithic sheet, monolithic panel, pre-painted fibre cement lining, pre-painted fibre-cement lining, Eclipsa Eaves Lining, HardiFlex Eaves Lining, Hardiflex Sheet, HardieGroove Soffit Lining, Hardiesoffit Lining, Silkline Soffit Lining, Villaboard Lining,

# 2 Clauses

## 2.1 Scope

*Help Note:*
For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/james%20hardie.

### 2.1.1 Scope

Supply and install the specified James Hardie products as a fibre-cement sheet lining material to the eaves and soffits identified on the drawings, complete with all accessories. All aspects of this work shall be in complete accordance with James Hardie Eaves And Soffits Installation Manual (check www.jameshardie.co.nz, or call 0800 808 868 for the latest edition) and other relevant product manufacturers' recommendations.

## 2.2 Eaves & Soffit Lining

*Help Note:*
**NZS 3604 Wind Zones up to and including Very High:**
Eclipsa Eaves Lining: 4.5mm, pre-finished w/acrylic paint, different widths.
Hardie™ Groove Lining: 7.5mm, different lengths.
Hardie™ Soffit Lining & Hardie™ Flex Eaves Lining: 4.5mm, different widths.

**NZS 3604 Wind Zones up to and including Extra High:**
Hardie™ Flex Sheet: 6mm, different lengths, and widths.
Villaboard Lining: different thicknesses, lengths, and widths.

SMARTSPEC

### 2.2.1 4.5mm Eclipsa Eaves Lining

Eclipsa Eaves Lining. 4.5mm thick fibre-cement sheet lining, pre-finished with an acrylic paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.2 4.5mm Hardie™ Flex Eaves Lining

Hardie™ Flex Eaves Lining - 4.5mm. 4.5mm thick fibre-cement sheet lining with an un-sanded surface finish. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.3 6mm Hardie™ Flex Sheet

Hardie™ Flex Sheet 6mm. 6mm thick fibre-cement sheet lining with an un-sanded surface finish. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.4 7.5mm Hardie™ Groove Lining

7.5mm Hardie™ Groove Lining. 7.5mm thick, fibre-cement sheet lining with a T&G-grooved profile. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.5 4.5mm Hardie™ Soffit Lining

Hardiesoffit Lining. 4.5mm thick fibre-cement sheet lining with an un-sanded surface finish. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.6 6mm Villaboard Lining

Villaboard Lining 6mm. 6mm thick fibre-cement sheet lining with a sanded surface finish. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

### 2.2.7 9mm Villaboard Lining

Villaboard Lining 9mm. 9mm thick fibre-cement sheet lining with a sanded surface finish. The sheets are to be finished with a paint system. Installed in accordance with the James Hardie Eaves And Soffits Installation Manual to the locations shown on the drawings.

## 2.3 Elements

*Help Note:*

This section refers to Bracing Elements and Fire-Rated Elements; and does NOT apply to Eclipsa Eaves Lining, Hardiesoffit Lining and HardieGroove Soffit Lining materials, as these materials do not provide such attributes. Please progress to the next clause section if one of these materials has been specified/selected.