Potter Aluminium Partition Systems

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- System 3
- Fire Rating 3
- Acoustic Rating 4
- Doors 4
- Skirting 4
- Finish 5
- Workmanship 5
- Delivery & Handling 6
- Preparation 6
- Installation 6
- Completion 6

Compliances 6

SWIFTSPEC

1 Specification Details

Trade Sections: Carpentry

Description:

Keywords: Carpentry, Potter Interior Systems, Potters, partitions, partitioning systems, aluminium partition systems, aluminium partitioning systems, glazed partition systems, glazed partitioning systems, glass partition systems, glass partitioning systems, centrally glazed partition systems, centrally glazed partitioning systems, double glazed partition systems, double-glazed partition systems, double glazed partitioning systems, double-glazed partitioning systems, interior partition systems, interior partitioning systems, interior glass partition systems, interior glass partitioning systems, interior glazed partition systems, interior glazed partitioning systems, glazed interior partition systems, glazed interior partitioning systems, fit-out partition systems, fit out partition systems, fit-out partitioning systems, fit out partitioning systems, fire rated partitions, fire-rated partitions, fire rated partitioning systems, fire-rated partitioning systems, sound rated partitions, sound-rated partitions, sound rated partitioning systems, sound-rated partitioning systems, powder coated aluminium partition systems, powder coated aluminium partitioning systems, anodised aluminium partitioning systems, A series aluminium partitioning, C series aluminium partitioning, E Series aluminium partitioning, Softline Series aluminium partitioning,

2 Clauses

2.1 Scope

Help Note:

For technical information on products to attach to this project, please visit https://productspec.co.nz/en/supplier/potter interior systems

2.1.1 Scope

Supply and install the selected Potter Aluminium Partition System, complete with linings, doors, glazing, and accessories, to the partition layout shown on the drawings. All aspects of this work shall be in strict accordance with Potter Aluminium Systems technical literature and installation recommendations (check www.potters.co.nz, or call 0800 768 837 for the latest editions), other relevant product manufacturers' recommendations, and as shown on the drawings.

SMARTSPEC

2.2 System

2.2.1 A Series 105

Potter Aluminium Systems 'A Series 105', centrally glazed partitioning system. Aluminium profiles with 64mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.2 A Series 132, 92mm Stud

Potter Aluminium Systems 'A Series 132', centrally glazed partitioning system. Aluminium profiles with 92mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.3 A Series 132, 150mm Stud

Potter Aluminium Systems 'A Series 132', centrally glazed partitioning system. Aluminium profiles with 150mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.4 C Series 45

Potter Aluminium Systems 'C Series 45', centrally glazed partitioning system. 45mm wide aluminium glazing profiles with 64mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.5 E Series 105

Potter Aluminium Systems 'E Series 105', edge and double glazed partitioning system. Aluminium profiles with 64mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.6 Softline Series, 64mm stud

Potter Aluminium Systems 'Softline Series', centrally glazed partitioning system. Aluminium profiles with 64mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.2.7 Softline Series, 92mm Stud

Potter Aluminium Systems 'Softline Series', centrally glazed partitioning system. Aluminium profiles with 92mm wide USG steel framing and 13mm thick linings. Aluminium finish as specified below. Configured to the layout and details shown on the drawings.

2.3 Fire Rating

Help Note:
Where applicable, add the required partition fire rating details to FRR: ¬/¬/¬ minutes.

SMARTSPEC