Forté Timber Overlay Flooring

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Scope 2
- Requirements 2
- Forté Engineered Wood Flooring 4
- Forté Floor Trims & Stair Nosing's 18
- Underlayment 22
- Co-operation 22
- Workmanship 23
- Delivery & Handling 23
- Preparation 24
- Installation 24
- Protection & Completion 24

Compliances 25

SWARTSPEC

1 Specification Details

Trade Sections: Floor Coverings
Description: Floor Coverings
Keywords: Floor Coverings, Forte Flooring, Timber Overlay Flooring, engineered wood flooring, laminated flooring, wooden floors, wooden flooring, wood floors, wood flooring, floor planks, flooring planks, strip flooring, plank flooring, herringbone flooring, timber flooring

2 Clauses

2.1 Scope

Help Note:
For technical advice and specification guidance, contact Forté Flooring Ltd on 0800 445 494

For technical information on products to attach to this project, please visit Forté Timber Flooring

2.1.1 Scope

Supply and install Forté Timber Overlay Flooring, as specified herein, to the locations, layout and details shown on the drawings, complete with all associated components and accessories required for proper installation and performance. All aspects of this work shall be in complete accordance with the manufacturer's technical literature and Forté's requirements (check www.forte.co.nz, or email info@forte.co.nz, or call 0800 445 494 for the latest editions), and other relevant product manufacturers' recommendations.

The Forté Timber Overlay Flooring System is CodeMark assured with the NZ Building Code: CodeMark Certificate of Conformity No:CMNZ70143 Ver.1, issued by Bureau Veritas New Zealand

No substitutions are permitted for Forté Timber Overlay Flooring.

2.1.2 Extent of Work

The following is a list and general description of the extent of the Forté Timber Overlay Flooring works, which are more specifically defined in the contract documents, required for the completion of the contract works:

2.2 Requirements

Help Note:
Clause options listed below are optional - as applicable, select only those options according to project requirements.

For technical advice and specification guidance, contact Forté on 0800 445 494.

SMARTSPEC

2.2.1 Safety

Comply with the Health and Safety at Work Act 2015 (HSWA), and with all relevant Health and Safety at Work Regulations 2016, and with all relevant WorkSafe New Zealand (WorkSafe) Approved Codes of Practice and WorkSafe Information and Guidance, particularly those for construction and building maintenance.

2.2.2 Warranty – Product

Forté Structural Product Warranty - according to the warranty conditions.
- For all Engineered Timber Flooring supplied by Forté.
- Provide the Product Warranty on the Forté standard warranty form.
- Commence the warranty from the date of practical completion of the contract works.
- Refer to Forté's Structural Warranty attached.

2.2.3 Warranty – Installation

Installer's Installation Warranty - according to the warranty conditions.
- 2 Years Workmanship Warranty for all Engineered Timber Flooring installed by the Forté Flooring Ltd approved installer.
- Provide the Installation Warranty on the Installation Contractor's Standard Warranty Form.
- Commence the warranty from the date of practical completion of the contract works.

2.2.4 Substitutions

Forté Timber Overlay Flooring shall be as specified herein and as indicated on the design drawings. The substitution of Forté Flooring Ltd supplied Timber Overlay Flooring for an alternative brand or material is not permitted under any circumstances.

The substitution of a specified Forté Timber Overlay Flooring product for an alternative Forté Timber Overlay Flooring product by the Contractor shall only be permitted with the Contract Administrator's written authorisation, and shall be at no additional cost to the Principal. Should any resultant extra work and/or redesign work be required to accommodate alternative Forté Timber Overlay Flooring to satisfy design, performance and compliance requirements, then the cost of these shall be borne by the Contractor.

2.2.5 Samples

Submit a clearly identified full-size sample of each overlay flooring range and colour specified, for signed approval by the Contract Administrator - do not proceed until the samples have been approved.
Where a colour has not been specified, submit a clearly identified sample of each colour for the range specified, for colour selection and signed approval by the Contract Administrator.

2.2.6 Evidence of Slip Resistance

If requested, provide certified evidence showing the slip resistance classification of the Forté Timber Overlay Flooring, as specified and installed, complies with NZBC D1/AS1, 2.1