Dulux Environmental Painting Interior

TABLE OF CONTENTS

Specification Details 2
Clauses 2
- Requirements 2
- Plasterboard Ceilings - New 2
- Plasterboard Walls - New 4
- Fibre Cement Sheet Ceilings - New 5
- Fibre Cement Sheet Walls - New 6
- Concrete Ceilings - New 7
- Concrete Walls - New 8
- Concrete Floors - New 9
- Masonry Walls - New 9
- Timber Walls, Ceilings, Trims, Doors, Frames - New 11
- Timber Floors - New 14
- Mild Steel - New 15
- Galvanised & Zinc Coated Steel - New 16
- Non-Ferrous Metals - New 17
- Plasterboard Ceilings - Existing 17
- Plasterboard Walls - Existing 19
- Fibre Cement Sheet Ceilings - Existing 21
- Fibre Cement Sheet Walls - Existing 21
- Concrete Ceilings - Existing 23
- Concrete Walls - Existing 23
- Concrete Floors - Existing 24
- Masonry Walls - Existing 25
- Timber Walls, Ceilings, Trims, Doors, Frames - Existing 26
- Timber Floors - Existing 29
- Mild Steel - Existing 30
- Galvanised & Zinc Coated Steel - Existing 31
- Non-Ferrous Metals - Existing 32

Compliances 32

SMARTSPEC

1 Specification Details

Trade Sections: Painting & Decorating
Description:
Keywords: Painting, Dulux, Painting General, painting interior, painting exterior, painting environmental, environmental painting, environmental paint, environmental paints, paint, paints, painting preparation, paint preparation, paint application, painting application, paint coats, paint coating, primer, undercoat, top coat, water based paint, waterbased paint, water-based paint, solvent based paint, solvent-based paint, oil based paint, oil-based paint, alkyd paint, clear coating, clear paint, polyurethane, clear polyurethane, wet-area paint, wet area paint, wetarea paint, interior paint, exterior paint, stain, wood stain, oil stain, oil based stain, oil-based stain, water based stain, water-based stain, interior stain, exterior stain, deck stain, timber stain, clear finish, hard wearing paint, floor paint, ceiling paint wall paint, concrete paint, masonry paint steel paint, metal paint, galvanised steel paint, galvanized steel paint, non-ferrous metal paint, copper paint, zinc paint, fibre cement paint, fibre-cement paint, fibrous plaster paint, plasterboard paint, plaster board paint, plaster-board paint, specialty paint finishes, DuSpec, paint spec, low VOC paint,

2 Clauses

2.1 Requirements

Help Note:
Dulux Interior Environmental Painting systems are listed in order of 'New' and 'Existing' substrate types.
Select the required Dulux DuSpec system from the relevant substrate type.

For technical information on products to attach to this project, please visit productspec.co.nz/en/supplier/dulux.

2.1.1 Requirements

This schedule of specified Dulux coating systems must be read in conjunction with the 'Dulux Painting General' section of the Painting specification, of which all clasues and requirements shall be binding.

2.2 Plasterboard Ceilings - New

Help Note:
Systems identified by an asterisk (*) denote the Dulux-recommended gloss level.

2.2.1 Paperfaced Plasterboard New - Ceilings - Ultra Low VOC Paint - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Ultra Low VOC Paint - Flat. Best Environmental System.

SMARTSPEC

Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09007.
Fire Rating: Group Number 1-S; Report Number 5054.
1st Coat: DULUX Professional Enviro2 Acrylic Sealer Undercoat @ 14m²/L.
2nd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.
3rd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.

2.2.2 Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Ultra Low VOC - Flat*

Interior Paperfaced Plasterboard New - Ceilings - Superior Finish (L5) - Ultra Low VOC Paint - Flat. Best Environmental System.
Gloss Level: Flat.
Coating Type: Water based.
System: DuSpec NZ_SD09009.
Fire Rating: Group Number 1-S; Report Number 5054; NZBC C/VM2 A1.5.
1st Coat: DULUX Professional Ultra 5 Surfacer, Prep & Finish @ 3m²/L.
2nd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.
3rd Coat: DULUX Professional Enviro2 Ceiling Flat @ 16m²/L.

2.2.3 Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Low Sheen*

Interior Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Low Sheen. Best Environmental System.
Gloss Level: Low Sheen.
Coating Type: Water based.
System: DuSpec NZ_SD09011.
Fire Rating: Group Number 1-S; Report Number 5054.
1st Coat: DULUX 1 Step Acrylic Primer Sealer & Undercoat @ 16m²/L.
2nd Coat: DULUX Wash & Wear 101 +Plus Kitchen & Bathroom Low Sheen @ 16m²/L.
3rd Coat: DULUX Wash & Wear 101 +Plus Kitchen & Bathroom Low Sheen @ 16m²/L.

2.2.4 Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Semi Gloss

Interior Paperfaced Plasterboard New - Ceilings - Wet Areas - Paint - Semi Gloss. Best Environmental System.
Gloss Level: Semi Gloss.
Coating Type: Water based.
System: DuSpec NZ_SD09014.
Fire Rating: Group Number 1-S; Report Number 5054.
1st Coat: DULUX 1 Step Acrylic Primer Sealer & Undercoat @ 16m²/L.
2nd Coat: DULUX Wash & Wear 101 +Plus Kitchen & Bathroom Semi Gloss @ 16m²/L.
3rd Coat: DULUX Wash & Wear 101 +Plus Kitchen & Bathroom Semi Gloss @ 16m²/L.

A Level 5 Plaster Finish is recommended for this system.